



# Coating Options By **APPLICATION**

COMMERCIAL




RESIDENTIAL



INDUSTRIAL

# APPLICATION: EXTERIOR SURFACES

Walkways



## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- MAINTENANCE

## Patios, Porches, Walkways

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Repels™ Sealer
- Clear-A-Thane™ Sealer
- Kemiko® Color Enhancing Acrylic Concrete Sealer
- Neutra Clean™ Neutralizer and Degreaser

*Suitable application for KEMIKO® BUILDABLE OVERLAY*

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Surface must be free of sealers (beading water test) and have a profile of CSP 3 - CSP 5.

Patios



Pool Decks



## Pool Decks

- Stone Tone™ Concrete Acid Stain\*
- Repels™ Sealer
- Neutra Clean™ Neutralizer and Degreaser

*Suitable application for KEMIKO® BUILDABLE OVERLAY*

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Surface must be free of sealers (beading water test) and have a profile of CSP 3 - CSP 5.



# APPLICATION: EXTERIOR SURFACES

Statuary



## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- MAINTENANCE

## Statuary, Water Fountains, Concrete Furniture

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Repels™ Sealer
- Neutra Clean™ Neutralizer and Degreaser

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Surface must be free of sealers (beading water test) and have a profile of CSP 3 - CSP 5.

Concrete Furniture



Driveways



## Driveways

- Stone Tone™ Concrete Acid Stain\*
- Kemiko® Color Enhancing Acrylic Concrete Sealer
- Repels™ Sealer
- Neutra Clean™ Neutralizer and Degreaser

*Suitable application for KEMIKO® BUILDABLE OVERLAY*

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Surface must be free of sealers (beading water test) and have a profile of CSP 3 - CSP 5.



# APPLICATION: INDUSTRIAL / COMMERCIAL FLOORS

## COATING OPTIONS:

- TWO COMPONENT INDUSTRIAL




## Warehouse Floors

- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Pigmented Epoxy (SS3500)<sup>1</sup>
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)

<sup>1</sup> Available in standard and custom colors

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.





# APPLICATION: INDUSTRIAL /COMMERCIAL FLOORS

## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- PENETRATING WAX FINISH
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE



## Restaurant Floors

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Clear-A-Thane™ Sealer
- Stone Tone™ Buff-On Wax
- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)
- Neutra Clean™ Neutralizer and Degreaser
- Easy Shine™ Mop On Wax

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.





# APPLICATION: INDUSTRIAL/COMMERCIAL FLOORS

## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- PENETRATING WAX FINISH
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE



## Commercial / Retail Floors

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Clear-A-Thane™ Sealer
- Stone Tone™ Buff-On Wax
- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)
- Neutra Clean™ Neutralizer and Degreaser
- Easy Shine™ Mop On Wax

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.





# APPLICATION: RESIDENTIAL INTERIOR SURFACES



## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE



## Kitchen

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Stone Tone™ Sealer II
- Clear-A-Thane™ Sealer
- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)
- Neutra Clean™ Neutralizer and Degreaser
- Easy Shine™ Mop On Wax

*Suitable application for KEMIKO® BUILDABLE OVERLAY*

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.



# APPLICATION: RESIDENTIAL INTERIOR SURFACES



## Bathroom

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Stone Tone™ Sealer II
- Clear-A-Thane™ Sealer
- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)
- Neutra Clean™ Neutralizer and Degreaser
- Easy Shine™ Mop On Wax

*Suitable application for KEMIKO® BUILDABLE OVERLAY*

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.

## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE





# APPLICATION: RESIDENTIAL INTERIOR SURFACES



## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- PENETRATING WAX FINISH
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE



## Dining Room

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Stone Tone™ Sealer II
- Clear-A-Thane™ Sealer
- Stone Tone™ Buff-On Wax
- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)
- Neutra Clean™ Neutralizer and Degreaser
- Easy Shine™ Mop On Wax

*Suitable application for KEMIKO® BUILDABLE OVERLAY*

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.



# APPLICATION: RESIDENTIAL INTERIOR SURFACES



## Living Room/Den

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain
- Stone Tone™ Sealer II
- Clear-A-Thane™ Sealer
- Stone Tone™ Buff-On Wax
- Kemiko® Water Base Quick Dry Epoxy (SS3700)
- Kemiko® 100% Solids Self-Leveling Epoxy (SS1202)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)
- Neutra Clean™ Neutralizer and Degreaser
- Easy Shine™ Mop On Wax

*Suitable application for KEMIKO® BUILDABLE OVERLAY*


\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.

## COATING OPTIONS:

- DECORATIVE
- SINGLE COMPONENT SEALERS
- PENETRATING WAX FINISH
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE





# APPLICATION:

## GARAGE FLOORS (Hot Tire Resistant)

### COATING OPTIONS:

- DECORATIVE
- TWO COMPONENT INDUSTRIAL
- MAINTENANCE



### DECORATIVE SYSTEM

#### COLOR SELECTION

- Stone Tone™ Concrete Acid Stain\*
- Rembrandt™ Polymer Stain

#### PRIME COAT

- Kemiko® Water Base Quick Dry Epoxy (SS3700)

#### PROTECTIVE COAT

- Kemiko® 100% Solids Self-Leveling UV Resistant Epoxy (SS1202UV)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)

#### CLEANING

- Neutra Clean™ Neutralizer and Degreaser

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.

### BROADCAST SYSTEM

#### PRIME COAT

- Kemiko® Water Base Quick Dry Epoxy (SS3700)

#### COLOR / MIDDLE COAT<sup>1</sup>

- Kemiko® 100% Solids Self-Leveling Epoxy (SS3500)<sup>2</sup>

#### PROTECTIVE COAT

- Kemiko® 100% Solids Self-Leveling UV Resistant Epoxy (SS1202UV)
- Kemiko® Water Base Polyurethane Topcoat (SS2400)

#### CLEANING

- Neutra Clean™ Neutralizer and Degreaser

<sup>1</sup> Broadcast added into middle coat. Not sold by Kemiko® <sup>2</sup> Available in standard and custom colors

\* Must be neutralized prior to sealing.

The success of all flooring projects will depend on surface preparation, including surface profile and cleanliness.

Previously sealed surfaces must be properly prepared.







 [kemiko.com](http://kemiko.com)

 800.875.4596

 [epmarcs@quakerchem.com](mailto:epmarcs@quakerchem.com)

# Since 1930



**Architects, designers and contractors** have been specifying and applying Kemiko products since 1930. Kemiko manufactures a complete line of concrete coatings and floor systems for use in commercial, residential and industrial applications. Our premium quality offering includes: reactive acid stains, acrylic stains, cementitious overlays, sealers, primers, color coats, top coats, waxes, cleaners. We are experts at providing low/zero VOC coatings that are made in the USA.



**COMMERCIAL**



**INDUSTRIAL**



**RESIDENTIAL**



©2018 EPMAR Corporation. Kemiko is a registered trademark of and manufactured by EPMAR Corporation, USA.  
Mailing Address: EPMAR Corporation, 13240 Barton Circle, Whittier, CA 90605

Rev 06/21/2019